



# GOLD LABEL AQUARIUM SEALER

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue:10/11/2015 Revision date:10/11/2015

Supersedes:17/11/2009

Version: 4.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : GOLD LABEL AQUARIUM SEALER

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

HUTTON SUPPLIES  
UNIT 5,HUGHES BUSINESS PARK  
WILVERLEY ROAD,CHRISTCHURCH  
GB-BH23 3RU DORSET  
T 01202 481706 - F 202 481708  
[info@huttonsupplies.co.uk](mailto:info@huttonsupplies.co.uk) - [www.huttonsupplies.co.uk](http://www.huttonsupplies.co.uk)

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate, 3-(2-aminoethylamino)propyltrimethoxysilane, N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine. May produce an allergic reaction

Child-resistant fastening : No

Tactile warning : No

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII  
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
vinyltrimethoxysilane	(CAS No) 2768-02-7 (EC no) 220-449-8 (REACH-no) 01-2119513215-52	1 - 2,5	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332
3-(2-aminoethylamino)propyltrimethoxysilane	(CAS No) 1760-24-3 (EC no) 217-164-6 (REACH-no) 01-2119970215-39	1 - 2,5	Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 Skin Sens. 1, H317

##### Specific concentration limits:

Name	Product identifier	Specific concentration limits
3-(2-aminoethylamino)propyltrimethoxysilane	(CAS No) 1760-24-3 (EC no) 217-164-6 (REACH-no) 01-2119970215-39	(C >= 3) Eye Dam. 1, H318 (C >= 3) Skin Sens. 1, H317

Full text of H-statements: see section 16

# GOLD LABEL AQUARIUM SEALER

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Move to fresh air.
- First-aid measures after skin contact : Wash with plenty of soap and water.
- First-aid measures after eye contact : Wash with plenty of soap and water. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
- Symptoms/injuries after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use.
- Symptoms/injuries after eye contact : May cause slight irritation.
- Symptoms/injuries after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : All extinguishing media allowed.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Not combustible.

#### 5.3. Advice for firefighters

- Protection during firefighting : Wear suitable protective clothing. Wear respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Equip cleanup crew with proper protection. Wear respiratory protection.

##### 6.1.1. For non-emergency personnel

No additional information available

##### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

No additional information available

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : On land, sweep or shovel into suitable containers.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Avoid any direct contact with the product.
- Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in dry, well-ventilated area.

#### 7.3. Specific end use(s)

No additional information available

# GOLD LABEL AQUARIUM SEALER

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

methanol (67-56-1)		
EU	IOELV TWA (mg/m <sup>3</sup> )	260 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	200 ppm
EU	Skin	
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	266 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	200 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	333 mg/m <sup>3</sup>
United Kingdom	WEL STEL (ppm)	250 ppm
Titanium dioxide (13463-67-7)		
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> inhalable dust 4 mg/m <sup>3</sup> respirable dust
calcium carbonate (471-34-1)		
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> inhalable dust 4 mg/m <sup>3</sup> respirable dust
silica (7631-86-9/112945-52-5)		
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	6 mg/m <sup>3</sup> inhalable dust 2,4 mg/m <sup>3</sup> respirable dust
tetramethylorthosilicate (681-84-5)		
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	6,3 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	1 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	32 mg/m <sup>3</sup>
United Kingdom	WEL STEL (ppm)	5 ppm

#### 8.2. Exposure controls

Personal protective equipment	: Gloves. Safety glasses.
Hand protection	: In case of repeated or prolonged contact wear gloves
Eye protection	: Safety glasses
Skin and body protection	: No special clothing/skin protection equipment is recommended under normal conditions of use
Respiratory protection	: No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation



Other information : Do no eat, drink or smoke when using this product.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Paste
Colour	: According to product specification
Odour	: characteristic
Solubility	: Water: practically insoluble

#### 9.2. Other information

No additional information available

# GOLD LABEL AQUARIUM SEALER

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

No additional information available

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

None under normal conditions.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

##### vinyltrimethoxysilane (2768-02-7)

LD50 oral rat	7120 mg/kg
---------------	------------

LD50 dermal rabbit	3540 mg/kg
--------------------	------------

LC50 inhalation rat (Dust/Mist - mg/l/4h)	16,8 mg/l/4h
---	--------------

##### 3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)

LD50 oral rat	> 2000 mg/kg
---------------	--------------

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

##### vinyltrimethoxysilane (2768-02-7)

LC50 fish 1	191 mg/l
-------------	----------

EC50 Daphnia 1	168,7 mg/l
----------------	------------

EC50 other aquatic organisms 1	210 mg/l
--------------------------------	----------

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

##### GOLD LABEL AQUARIUM SEALER

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

# GOLD LABEL AQUARIUM SEALER

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	
14.1. UN number	Not regulated for transport
14.2. UN proper shipping name	Not applicable
14.3. Transport hazard class(es)	Not applicable
	Not applicable
14.4. Packing group	Not applicable
14.5. Environmental hazards	Dangerous for the environment : No
No supplementary information available	

### 14.6. Special precautions for user

#### - Overland transport

Transport regulations (ADR) : Not classified.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions  
Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No additional information available

### SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Skin Sens. 1	Sensitisation — Skin, Category 1
H226	Flammable liquid and vapour
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H332	Harmful if inhaled
EUH208	Contains . May produce an allergic reaction

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*